

	1	("5485595") .PN.	USPAT; US-PGPUB	2003/12/09 17:36
	3	(("5485595") or ("5388083") or ("5479638")).PN.	USPAT; US-PGPUB	2003/12/09 17:37
	0	parse\$4 with data adj flow with non adj data adj flow	USPAT; US-PGPUB	2004/03/30 14:39
	0	parse\$4 same data adj flow same non adj data adj flow	USPAT; US-PGPUB	2004/03/30 14:39
	0	parse\$4 with data near2 command with other adj command	USPAT; US-PGPUB	2004/03/30 14:39
	0	parse\$4 same data near2 command with other adj command	USPAT; US-PGPUB	2004/03/30 14:40
	6	data near2 command with other adj command	USPAT; US-PGPUB	2004/03/30 14:41
	2344	parse\$4 with command	USPAT; US-PGPUB	2004/03/30 14:41
	2710	parse\$4 with command	USPAT; US-PGPUB	2004/03/30 14:41
	40	(parse\$4 with command) with data adj flow	USPAT; US-PGPUB	2004/03/30 14:42
	29	(parse\$4 with command) with data adj flow	USPAT	2004/03/30 14:44
	58	(parse\$4 with command) with type near3 command	USPAT	2004/03/30 14:44
	58	((parse\$4 with command) with type near3 command) not ((parse\$4 with command) with data adj flow)	USPAT	2004/03/30 14:44
	22	parse\$4 near4 host adj command	USPAT; US-PGPUB	2004/04/01 11:57
	4634	(decod\$4 parse\$4) near3 command with (data non adj data)	USPAT; US-PGPUB	2004/04/02 11:57
	265	(decod\$4 parse\$4) near3 command with (data or non adj data) adj command	USPAT; US-PGPUB	2004/04/01 11:59
	2295	(decod\$3 parse\$3) near3 command near4 (data or non adj data)	USPAT; US-PGPUB	2004/04/01 11:59
	18	(decod\$3 parse\$3) near3 command near4 (data or non adj data) adj2 command	USPAT; US-PGPUB	2004/04/01 12:06
	3	(decod\$3 parse\$3) near3 command with ((data read write) adj2 command with (non adj data) adj2 command)	USPAT; US-PGPUB	2004/04/01 18:07
	1	("20030061406").PN.	USPAT; US-PGPUB	2004/04/01 18:07
	104	(logical adj block adj address LBA) same map\$4 same (physical adj block adj address PBA)	USPAT; US-PGPUB	2004/04/02 12:51
	4634	(decod\$4 parse\$4) near3 command with (data non adj data)	USPAT; US-PGPUB	2004/04/02 12:07
	531	(block adj address with map\$4)	USPAT; US-PGPUB	2004/04/02 11:58
	9	((block adj address with map\$4)) and ((decod\$4 parse\$4) near3 command with (data non adj data))	USPAT; US-PGPUB	2004/04/02 11:59
	1007	logical adj2 address with map\$4	USPAT	2004/04/02 12:02
	116	(logical adj2 address with map\$4) and (RAID SAM)	USPAT	2004/04/02 12:03
	9	((logical adj2 address with map\$4) and (RAID SAM)) and host adj interface	USPAT	2004/04/02 12:03
	177	(decod\$4 parse\$4) with (host adj2 command)	USPAT; US-PGPUB	2004/04/02 13:50
	2	((block adj address with map\$4)) and ((decod\$4 parse\$4) with (host adj2 command))	USPAT; US-PGPUB	2004/04/02 12:11

-	20	((("4935825") or ("5021946") or ("5270837") or ("5581784") or ("5715418") or ("5717951") or ("5765204") or ("5875349") or ("5881311") or ("5893139") or ("6256644") or ("6263408") or ("6286056") or ("6571310") or ("6594751") or ("6631493") or ("6654195") or ("6658528") or ("6678788") or ("6691198")).PN. ("20040019713").PN.	USPAT; US-PGPUB	2004/04/02 12:16
-	1		USPAT;	2004/04/02 12:16
-	2	(logical adj2 address with map\$4) and ((decod\$4 pars\$4) with (host adj2 command))	USPAT; US-PGPUB	2004/04/02 12:53

	34546	(initializ\$5 error) near3 (message handl\$4)	USPAT; US-PGPUB	2004/04/02 13:45
-	153	((initializ\$5 error) near3 (message handl\$4)) and (logical adj2 address with map\$4)	USPAT; US-PGPUB	2004/04/02 13:46
-	13	((initializ\$5 error) near3 (message handl\$4)) same (logical adj2 address with map\$4)	USPAT; US-PGPUB	2004/04/02 13:46
-	14341	(decod\$4 pars\$4) near4 command	USPAT; US-PGPUB	2004/04/02 13:50
-	5	((decod\$4 pars\$4) near4 command) with (data with non adj data)	USPAT; US-PGPUB	2004/04/02 14:12
-	1	("6693754").PN.	USPAT; US-PGPUB	2004/04/02 14:58
-	1	("20010047451").PN.	USPAT; US-PGPUB	2004/04/02 14:14
-	3	("5890209" "6025966" "6034831" "2001/0047451").PN.	USPAT	2004/04/02 14:18
-	7	5890209.URPN.	USPAT	2004/04/02 14:40
-	8	("4710687" "4746998" "4879612" "5222054" "5483507" "5500848" "5523903" "5568627").PN.	USPAT	2004/04/02 14:41
-	0	("i/o" "I/O" input adj output) adj controller	USPAT; US-PGPUB	2004/04/05 15:22
-	9065	("i/o" "I/O" input adj output) adj controller	USPAT; US-PGPUB	2004/04/05 15:30
-	0	((("i/o" "I/O" input adj output) adj controller) near intergrat\$4	USPAT; US-PGPUB	2004/04/05 15:22
-	37	((("i/o" "I/O" input adj output) adj controller) near integrat\$4	USPAT; US-PGPUB	2004/04/05 15:30
-	6392	("i/o" "I/O" input adj output) adj controller	USPAT	2004/04/05 15:30
-	39	((("i/o" "I/O" input adj output) adj controller) same (LBA logical adj2 address)	USPAT	2004/04/05 18:25
-	0	host adj command with write with read with init\$5 with error	USPAT	2004/04/05 18:25
-	0	host adj command same write with read with init\$5 with error	USPAT	2004/04/05 18:26
-	24	write with read with init\$5 with error with command	USPAT	2004/04/05 18:28
-	502	(write read) with (status init\$5 error) with command with (decod\$4 pars\$4)	USPAT	2004/04/05 18:29
-	124	(write with read) with (status init\$5 error) with command with (decod\$4 pars\$4)	USPAT	2004/04/05 18:29
-	0	(write with read) with (status init\$5 error) with host adj command with (decod\$4 pars\$4)	USPAT	2004/04/05 18:29
-	0	(write with read) with (status init\$5 error) with (CDB command adj descriptor) with (decod\$4 pars\$4)	USPAT	2004/04/05 18:30
-	1	(write read) with (status init\$5 error) with (CDB command adj descriptor) with (decod\$4 pars\$4)	USPAT	2004/04/05 18:31
-	105	(CDB command adj descriptor) with (decod\$4 pars\$4)	USPAT	2004/04/05 18:31
-	13	((CDB command adj descriptor) with (decod\$4 pars\$4)) with interface	USPAT; US-PGPUB	2004/04/05 18:31